

# NHT Funded Project NLP 13188



# The effects of waste disposal on groundwater quality in Tasmania



# Port Latta waste depot

Tasmanian Geological Survey Record 2002/07





# Mineral Resources Tasmania Tasmanian Geological Survey Record 2002/07



# Groundwater quality investigations at the Port Latta waste depot

A. R. Ezzy

#### Abstract

The Port Latta waste depot is a disposal site for general and hazardous waste materials. The local groundwater table slopes away from the site north towards Bass Strait. The regolith profile and related engineering grades of the clay material affects recharge to the fractured bedrock aquifer. Groundwater quality in the area of the leachate ponds is degraded. Ongoing monitoring and changes in the engineering design (i.e. filling sequence, surface water controls and leachate pond infrastructure) are regarded as high priorities at the site.

#### INTRODUCTION

Mineral Resources Tasmania (MRT) initiated a project to investigate the effects of waste disposal on groundwater quality in Tasmania. The project was funded by MRT and the Natural Heritage Trust (NHT) and included a number of sites for detailed study. The waste depot at Port Latta was one of these sites.

The objectives of the investigations at the Port Latta waste depot were to:

- □ Determine the geological nature of the host materials;
- ☐ Identify the depth of the water table;
- ☐ Examine the quality of the groundwater; and
- □ Identify if a potential hydraulic connection exists between the waste fill materials and the local hydrological system.

Hazardous waste (including medical waste) and general municipal waste are disposed of at the site. Australian Bulk Minerals (ABM) currently uses groundwater extracted from two water bores on the Pipeline Track approximately two kilometres to the southwest. The water is used at the Port Latta pelletising plant for processing and office needs.


#### SITE DESCRIPTION

The Port Latta waste depot is located approximately 500 metres south of the Bass Highway at Port Latta (362 300 mE, 5 475 300 mN) (fig. 1) and began operation in 1994. The Department of Primary Industries, Water


and Environment (DPIWE) currently licenses the facility.

#### Site history and waste management

The site was a greenfield site at the time of construction. An engineered surface water system, filling sequence, landfill liner and leachate collection system have been constructed at the site. The filling sequence has occurred as a series of bench lifts over a clay liner of various thicknesses. The leachate collection system is constructed of PVC pipe surrounded by crushed rock on the top of the clay



**Figure 1.** Location of the Port Latta waste depot.



**Figure 2**Extract from Smithton geological map (Lennox et al., 1982) of the local area and related geology.

liner. Because groundwater was intercepted during various stages of development, sections of the landfill liner are underlain by a sub-liner which discharges to the surface water system. The sub-liner collection system is constructed of PVC pipe surrounded by crushed rock on weathered bedrock. Plate 1 shows a discharge point of one of these sub liners to the surface water system.

All disposal sites are located in clay deposits related to Precambrian sediments. Plate 2 shows cement tanks used to store soil contaminated by polychlorinated biphenyls (PCB's), while Plate 3 shows an active medical waste trench in clay materials typical of the site. Plate 4 shows cracking in the clays and related slumping above the most recent trenches.

#### Geology

The Tasmania Department of Mines 1:50 000 scale geological map of the area (Lennox *et al.*, 1982) indicates that the waste disposal area is underlain by Precambrian Cowrie Siltstone (fig. 2). This consists of finely laminated siltstone with sequences of laminated quartzite.

Geological mapping during the present study indicated that two types of clay deposits dominate the site. The first is material related to *in situ* weathering of

the Cowrie Siltstone, forming a regolith profile. The second material lies within a palaeochannel located within the regolith profile and the weathered Cowrie Siltstone (Plate 5). Both materials overly the Precambrian Cowrie Siltstone with a transitional zone from the regolith profile to the bedrock. This transitional contact is exposed at the western end of the Stage 2 filling area (Plate 6).

The regolith profile controls the engineering behaviour of the respective grades within the profile. The uppermost section of the profile (0 to approximately 6 m) consists of grade IV to VI (Dearman and Fookes, 1974) material. Material beneath approximately six metres progressively grades from III to II.

Grade II Cowrie Siltstone crops out on the coastline to the north of the landfill. Complex folding and faulting are evident within the outcrops, with fold axes ranging in length from 0.4 to over 15 metres (Plate 7) within the coastal exposures. Pyrite, as pods up to 160 mm in diameter (Plate 8) and cubes up to 3 mm, was identified in the outcrops. The Cowrie Siltstone outcrops are heavily fractured, with secondary minerals (limonite) forming on some of the joint planes (Plate 9).




Figure 3

Average monthly rainfall for Australian

Bureau of Meteorology rainfall station

091094, Stanley (Post Office).

#### Hydrology

The landfill footprint is located within the catchment area of Stinking Creek, which discharges into Bass Strait on the eastern side on of the ABM pelletising plant. Stinking Creek has a total catchment area of approximately two square kilometres. Stormwater runoff from the site is directed into stormwater settling ponds before discharging into Stinking Creek.

Australian Bureau of Meteorology rainfall station 091094 at Stanley (Post Office) is the closest rainfall station to the site. The rainfall chart of average monthly recorded rainfall (fig. 3) shows that the annual average rainfall for the station is 935.7 mm.

#### **INVESTIGATION METHODS**

#### Borehole drilling and installation

Nine 120 mm diameter monitoring bores were auger drilled between 22 and 24 August 2000 for this project (fig. 4). Fifty millimetre PVC casing was installed in eight of the bores, with slotted screens with bentonite seals being installed in each hole. Borehole PL2000/1 was drilled as a background hole approximately 500 m south of the landfill footprint. Borehole PL2000/7 intercepted medical waste and was backfilled with bentonite for occupational health and safety reasons. All bores were logged in accordance with AS1726-1993; engineering logs are presented in Appendix 1.

Groundwater was encountered across the site in close proximity to the overburden/bedrock interface. Flow during drilling indicated that the groundwater in the bedrock was being confined to some degree by the overlying clay materials. Figure 5 shows a southwest to northeast cross-section of the site and related standing water levels on 11 August 2001 for boreholes PL2000/3, 4, 5, 6 and 8.

The unsaturated zone consists of heterogenous medium to high plasticity mottled clays. In boreholes PL2000/2, PL2000/3, PL2000/4 and PL2000/5 groundwater was located above bedrock (auger

refusal) in a low to medium plasticity, dark grey to black clay (base of regolith profile).


#### **HYDROLOGICAL MODEL**

Boreholes previously drilled outside the landfill footprint in the general area (e.g. ABM bores on the pipeline track to the east) showed that the main aquifer at the site is located within the fractured Precambrian basement bedrock. The Precambrian rocks contain extensive fractures (jointing) which are associated with the complex folding of the area. Two high-yielding bores (12.6 L/s) drilled within the same rock mass have been reported on farmland approximately three kilometres to the east. No engineering logs exist for these bores, but comments from the drillers indicate that the fracturing system increased storage capacity with depth. Both bores where drilled to approximately 70 metres.


A hydraulic boundary condition appears to exist between the regolith profile and the underlying bedrock. As precipitation exceeds evaporation for about nine months of the year (implying a net recharge to groundwater), a concentration of groundwater develops at the base of the regolith profile. Based on observations of the coastline outcrops and the above, joint cementation must be occurring in the upper section of the fractured bedrock aquifer. This has increased the saturation of the regolith materials overlying the low permeability Precambrian bedrock surface.

Groundwater discharges as springs on several beaches approximately one kilometre north of the landfill footprint (Plate 10). Other springs in this area discharge at the interface between bedrock and unconsolidated overburden. Some of these springs discharge discoloured water (Plate 11).


Figure 6 illustrates an interpretation of the piezometric surface based on surveyed heights and groundwater depths of the boreholes in the area of the landfill. The cross-section (fig. 5) and piezometric surface outlined in Figure 6 indicate that the water table at the base of



**Figure 4**Locations of the nine environmental monitoring bores drilled at the Port Latta waste depot.
Note: no casing was installed in PL2000/7.



Southwest to northeast cross-section of the site and related standing water levels on 11 August 2001 for boreholes PL2000/3, 4, 5, 6 and 8.



Interpretation of the piezometric surface based on surveyed heights and groundwater depths of the boreholes (RL water surface contours).

the regolith profile slopes towards the coastline to the north. This is consistent with spring discharges observed on the beaches along the coastline.

The removal of the clay overburden and associated well-established vegetation (including many large trees) has promoted groundwater discharge from the interface between the regolith profile and the underlying bedrock. Inflows occur in excavations within this zone and some appear to also have a hydraulic connection to the unconfined (confined?) water within the fractured bedrock aquifer.

In summary, groundwater is perched on the bedrock interface with a deeper fractured aquifer within the bedrock itself. Groundwater flow is towards the coast line to the north of the site. Groundwater gradients appear to increase in the area of the leachate and stormwater ponds. When leachate is pumped from the leachate ponds (and irrigated over the landfill site) the water level in the stormwater ponds also decreases, implying a hydraulic connection between the two systems.

#### **GROUNDWATER CHEMISTRY**

All cased bores were sampled on 31 October 2000 in accordance with Australian/New Zealand Standard AS/NZS 5667.11:1998. Analytical Services Tasmania, in accordance with relevant Australian and international standards, carried out laboratory testing of the groundwater samples (Appendix 2). Groundwater values for pH ranged from 5.2 to 7.2, with conductivity values ranging between 180 and 675  $\mu S/cm$ . Analytical results for groundwater samples are presented on site maps in Appendix 3. Figure 7 is an anion Ternary plot for the results of the groundwater samples, while Tables 1 and 2 compare the analytical results against international standards where a guideline/emission value is stated by the relevant standard.

Iron and manganese are elevated in the background bore. Limonite and other secondary minerals, which occur in fractures on the coastline, imply that iron and manganese are both naturally occurring within the fractured aquifer cementation processes.


**Table 1.** Comparison of analytical results against water quality standards (guideline value listed when stated by a relevant standard). Highlighted values exceed emission limits.

		5		,	0 0				
Parameter	2000/1	2000/2	2000/3	2000/4	2000/5	2000/6	2000/8	2000/9	Emission limit
pH	7.2	6.6	5.9	6.0	6.3	5.2	5.6	6.1	N/A
Conductivity (µS/cm)	645	393	216	180	675	285	277	471	N/A: note average sea water
									value 36 000
TDS (mg/L)	390	243	142	110	406	161	161	280	N/A
Alkalinity CO <sub>3</sub> (mg/L)	<1	<1	<1	<1	<1	<1	<1	<1	N/A
Alkalinity HCO <sub>3</sub> (mg/L)	167	43	23	31	154	5	24	57	N/A
Chloride (mg/L)	65	76	25	21	110	63	51	90	250* (mg/L)
Fluoride (mg/L)	0.41	0.09	0.06	< 0.02	0.11	< 0.02	0.04	0.04	1.5* (mg/L)
Sulphate (mg/L)	3.7	11	3.1	9.1	12	14	7.2	23	250* (mg/L)
Ammonia (mg/L)	< 0.002	0.008	< 0.002	< 0.002	0.400	0.003	< 0.002	< 0.002	0.5* (mg/L) nitrogen
									(as ammonia)
Nitrate + Nitrite (mg/L)	0.005	0.005	0.005	0.005	0.005	0.005	0.004	0.007	10.0* (mg/L) nitrogen
									(as nitrate or nitrite)
Nitrite (mg/L)	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	0.003	10.0* (mg/L) nitrogen
									(as nitrate or nitrite)
Ortho-P (mg/L)	0.011	0.003	< 0.002	< 0.002	0.003	0.002	0.003	0.005	2.0* as phosphorus
Aluminium (mg/L)	0.012	0.025	0.011	< 0.010	1.370	0.036	0.031	0.752	N/A
Arsenic (mg/L)	0.006	< 0.005	< 0.005	< 0.005	0.007	< 0.005	< 0.005	< 0.005	0.05* (mg/L)
Cadmium (mg/L)	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.01* (mg/L)
Cobalt (mg/L)	0.001	0.002	0.018	0.007	0.014	< 0.001	< 0.001	0.002	N/A
Chromium (mg/L)	< 0.001	< 0.001	< 0.001	< 0.001	0.004	< 0.001	< 0.001	< 0.001	0.5* (mg/L)
Copper (mg/L)	< 0.001	0.004	< 0.001	< 0.001	0.041	< 0.001	0.006	< 0.001	1.0* (mg/L)
Iron (mg/L)	4.460	0.029	< 0.020	0.094	1.230	0.020	< 0.020	1.590	( Combined iron and manganese
Manganese (mg/L)	1.980	0.281	0.693	0.693	0.288	0.014	0.107	0.133	( total 1.0* (mg/L)
Nickel (mg/L)	< 0.001	0.005	< 0.001	0.001	0.033	0.002	0.002	0.003	0.1** (mg/L)
Lead (mg/L)	< 0.005	< 0.005	< 0.005	< 0.005	0.009	0.014	< 0.005	< 0.005	0.05* (mg/L)
Zinc (mg/L)	0.016	0.018	0.003	0.004	0.319	0.005	0.010	0.006	5.0* (mg/L)

<sup>\*</sup> Environment Protection (Water Pollution) Regulations 1974, emission into inland water.

\*\* Australian Water Quality Guidelines for Fresh and Marine Waters 1992.

N/A — no emission limit available.



# Figure 7 Anion Ternary plot for groundwater bores at the Port Latta waste depot. 1 – PL2000/1; 2 – PL2000/2; 3 – PL000/3; 4 – PL2000/4; 5 – PL2000/5; 6 – PL2000/6; 7 – PL2000/8; 8 – PL2000/9.

**Table 2.** Comparison of analytical results against the Australian and New Zealand Guidelines for Fresh and Marine Water Quality 2000.

			PORT	LATTA V	WASTE	DEPOT				ANZECO	2000
Bore hole number (PL2000/)	1	2	3	4	5	6	8	9	IRRIGA	ATION	LIVESTOCK
Analyte									STV (Short- term)	LTV (Long- term)	DRINKING
Standing Water Level (m)	0.05	13.00	6.10	1.98	1.39	6.02	2.19	5.46			
pH - field (pH Units)	7.3	6.7	6.2	6.1	6.0	5.5	5.7	6.4	**6.0	-8.5	
PH - lab (pH Units)	7.2	6.6	5.9	6.0	6.3	5.2	5.6	6.1	**6.0	-8.5	
Conductivity – field ( $\mu S/cm$ )	578	384	201	152	570	275	251	410	(1) (Refe		
Conductivity – lab ( $\mu$ S/cm)	645	393	216	180	675	285	277	471	4.2.3 &	4.2.4)	
TDS (mg/L)	390	243	142	110	406	161	161	280			(2) 2,000-10,000 (Refer Table 4.3.1)
Chloride (mg/L)	65	76	25	21	110	63	51	90	(3) MT (Refer Table 4.2.6) MR (Refer Table 4.2.7)		
Fluoride (mg/L)	0.41	0.09	0.06	< 0.02	0.11	< 0.02	0.04	0.04	4	1	
Sulphate (mg/L)	3.7	11	3.1	9.1	12	14	7.2	23			
$NH_3$ - $N (mg/L)$	< 0.002	0.008	< 0.002	< 0.002	0.400	0.003	< 0.002	< 0.002			
$(NO_2 + NO_3)-N (mg/L)$	0.005	0.005	0.005	0.005	0.005	0.005	0.004	0.007			
$NO_2$ - $N (mg/L)$	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	0.003			
$PO_4$ -P (mg/L)	0.011	0.003	< 0.002	< 0.002	0.003	0.002	0.003	0.005			
Aluminium (μg/L)	12	25	11	<10	1370	36	31	752	20,000	5,000	5,000
Arsenic (μg/L)	6	<5	<5	<5	7	<5	<5	<5	2000	100	500
Cadmium (µg/L)	<1	<1	<1	<1	<1	<1	<1	<1	50	10	10
Cobalt (µg/L)	1	2	18	7	14	<1	<1	2	100	50	1,000
Chromium (µg/L)	<1	<1	<1	<1	4	<1	<1	<1	1,000***	100***	1,000
Copper (µg/L)	<1	4	<1	<1	41	<1	6	<1	5,000	200	400-5,000
Iron (μg/L)	4460	29	<20	94	1230	20	<20	1590	10,000	200	NST
Manganese ( $\mu g/L$ )	1980	281	693	693	288	14	107	133	10,000	200	NST
Nickel (µg/L)	<1	5	<1	1	33	2	2	3	2000	200	1,000
Lead (μg/L)	<5	<5	<5	<5	9	14	<5	<5	5,000	2,000	100
Zinc (µg/L)	16	18	3	4	319	5	10	6	5,000	2,000	20,000

Shaded areas indicate values above relevant guideline levels

Notes:

- \*\* set to limit potential for corrosion and fouling of pumping, irrigation and stock watering systems chromium (VI)
- (1) Suitability depends on salt tolerance of crop & calculation of ECse, the average root zone salinity. ECse depends on soil type & average root zone leaching fraction
- (2) Depending on animal type, within this salinity range may be reluctance to drink or may be some scouring but stock should adapt without loss of production.
- (3) ES = Suits extremely sensitive crops
  - MS = Suits moderately sensitive crops, may affect sensitive crops
  - MT = Suits moderately tolerant crops
  - MR = Medium risk of increasing crop cadmium concentrations
  - MA = may affect crops sensitive to foliar injury through foliar absorption
- STV Short term trigger value for contaminant in irrigation water (<20 years) use
- $\operatorname{LTV}-\operatorname{Long}$  term trigger value for contaminant in irrigation water (100 years) use
- NST Not sufficiently toxic

#### **CONTAMINATION ASSESSMENT**

On the premise that PL2000/1 is the control bore, groundwater is slightly more acidic in bores at the landfill site. Conductivity, TDS, and chloride are slightly higher in bore PL2000/5 and aluminium, copper, nickel and zinc are significantly elevated compared to the control bore.

Plate 12 shows soakage observed on the north side of the leachate ponds ten metres west of borehole PL2000/5. The soakage is within ten metres of Stinking Creek, the main surface drainage outlet from the site. Other subsurface leakage from the leachate ponds could inter-react with this surface water system. Data relating to the area in close proximity to the leachate pond demonstrates that groundwater contamination has occurred at this location.

Transportation rates of contaminates within the clay material at the site are expected to be very low. The clay material would also aid in the absorption of metals concentrated within migrating water from either the fill material or any part of the leachate management infrastructure.

Transportation rates of any contaminates within the surface water system could be extremely rapid, depending on residence time for flows in the settling ponds (i.e. hydraulic retention time) and rainfall at the time. Trap efficiency of the surface drainage collection system (in particular during stormwater events) is considered critical to avoid recharge of stormwater into the waste fill materials.

As no hard rock bores exist at the site the quality of the bedrock aquifer in close proximity to the landfill remains unknown. Any contaminates that enter the fractured aquifer are expected to migrate north towards the coast.

#### PRINCIPAL CONCLUSIONS

This site is an excellent location for a regional waste facility. More efficient management procedures could include the use of natural clay liners, regular cleaning of leachate collection and recirculation infrastructure, quality controlled engineered encapsulation for some materials (i.e. medical waste) and reforestation using appropriate tree and shrub species to control erosion.

Future cells should retain two metres of *in situ* clay material over the bedrock to aid in the prevention of

groundwater discharges in the vicinity of the landfill liner and prevent leachate migration into the groundwater. Regular cleaning of the leachate collection system (to prevent calcium carbonate build ups) would also aid in preventing excessive leachate hydraulic heads developing on the landfill liner.

Where groundwater is able to directly recharge waste fill, discharges from the fill material may cause the degradation of surface and groundwater quality within the area of the activity. This site demonstrates the impact groundwater hydraulic pressure may exert on landfill material and related infrastructure. Additional engineering specifications will be required to maintain a standard of best practice environmental management. An integrated site management plan should include long-term monitoring of surface water and groundwater for quality control assessment of the developing engineering design.

#### **FURTHER WORK**

Long-term monitoring of groundwater quality would require the drilling of additional boreholes to monitor both groundwater within the regolith profile and the bedrock aquifer. At least one hole could be diamond drilled to assess joint density and cementation at shallow depth within the bedrock aquifer. Bedrock bores should be sited up gradient, within the landfill area, and down gradient of the site. The up-gradient bore may need to be drilled to approximately 70 m to allow for pump testing to gain an understanding of the hydraulic setting within the bedrock aquifer.

Test pitting across the site and the production of related isopach maps would aid in the future management and maximum potential use of clay resources at this site.

#### REFERENCES

DEARMAN, W. R.; FOOKES, P. G. 1974. Engineering geological mapping for civil engineering practice in the United Kingdom. *Quarterly Journal of Engineering Geology* 7:223–256.

LENNOX, P. G.; CORBETT, K. D.; BAILLIE, P. W.; CORBETT, E. B.; BROWN, A. V. 1982. *Geological Atlas 1:50 000 Series. Sheet 21 (7916S). Smithton*. Department of Mines Tasmania.

[30 May 2002]



Plate 1
Discharge point of one of the sub-liners to the surface water system.



Plate 2
Cement tanks used to store soil contaminated by polychlorinated biphenyls (PCB's).



Plate 3
Active medical waste trench in southern area of the site.



Plate 4
Cracking in the clay and related slumping above a recent medical waste trench.



Plate 5
Palaeochannel located within the weathered Cowrie Siltstone exposed in the northern wall of the Stage 2 filling area.



Plate 6
Precambrian Cowrie Siltstone bedrock exposed on the western end of the Stage 2 filling area.



Plate 7
Tight axial hinge fold in the Precambrian Cowrie Siltstone coastal outcrops.



**Plate 8** *Pyrite pods in the Precambrian Cowrie Siltstone coastal outcrops.* 



Plate 9
Limonite on jointing within the heavily fractured Precambrian Cowrie Siltstone in the coastal outcrops.



Plate 10
One of many springs discharging on beaches approximately one kilometre to the north of the landfill footprint.



Plate 11
Spring discharging at the bedrock interface with unconsolidated overburden approximately one kilometre to the north of the landfill footprint. Note discolouration of water.



Plate 12 Soakage observed on the north side of the leachate ponds 10 metres west of bore hole PL2000/5.

#### Appendix 1

### **Engineering logs of boreholes**

U50

D

Ν

### EXPLANATION SHEET FOR ENGINEERING LOGS Borehole and excavation log

### Penetration No resistance ranging to refusal



Water inflow

Water outflow

#### Notes — samples and tests

Undisturbed sample 50 mm diameter

Disturbed sample

Standard penetrometer blow count for 300 mm

N\* SPT + Sample

#### Material classification

Based on Unified Soil Classification System.

In Graphic Log materials are represented by clear contrasting symbols consistent for each project.

#### Moisture content

D	Dry, looks and feels dry
М	Moist, no free water on hand

when remoulding

Wet, free water on hand when remoulding

Plasticity index

LL Liquid limit

Plastic limit

e.g. M>PL — Moist, moisture content greater than the plastic limit

#### Consistency

	: h	and penetrometer
VS	Very soft	<25 (kPa)
S	Soft	25 – 50
F	Firm	50 – 100
St	Stiff	100 – 200
VSt	Very stiff	200 – 400
Н	Hard	>400
Fb	Friable	

Notes: X on log is test result

is range of results

#### Density index


		%
VL	Very loose	0 – 15
L	Loose	15 – 35
MD	Medium dense	35 – 65
D	Dense	65 – 85
VD	Very dense	85 – 100

#### Fracture description

RP Rough planar RL Rough irregular SP Smooth planar SL Smooth irregular

# Cored borehole log






#### Fluid loss

No loss 50% loss 100% loss

#### Lugeons

Lugeon units (uL) are a measure of rock mass permeability. For a 46 to 74 mm diameter borehole 1 Lugeon is defined as a rate of loss of 1 litre per metre per minute. 1 Lugeon is roughly equivalent to a permeability of 1 x 10<sup>44</sup> mm / sec.

#### Graphic log



No core

Rock substances represented by clear, contrasting symbols consistent for each project.

#### Weathering

Fr Fresh SW Slightly weathered HW Highly weathered EW Extremely weathered

#### Strength

FΗ


point load strength index 1 5 (50) (MPa) EL Extremely low < 0.03 VL Very low 0.03 - 0.1L Low 0.1 - 0.3Medium 0.3 - 1Н High 1 - 3VΗ Very high 3 - 10

>10

Extremely high Notes: X on log is test result.

#### Significant defects

Significant defects shown graphically



ПШШ

Extremely weathered seam

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & \textbf{PL2000/1} \\ \text{Sheet} & 1 & \text{of} & 2 \end{array}$ 

roje	ct	Po	rt Latta	wast	te de <sub>l</sub>	pot Location Bri	ckmak	ers P	lain, Port Latta
o-or .L. clin: eari	atio		5475014			Drill method Rotary Hol  Drill fluid Nil Dril  Log	e comme e comple lled by gged by ecked by	eted	22 August 2000 22 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite
3	support	notes samples, tests	metres depth	graphic log	classification symbol	material soil type: plasticity or particle characteristics, colour, secondary and minor components.	moisture condition	consistency density index	structure, geology
	Cement	D Sample ID	-		СН	CLAY - high plasticity, light brown-grey	M	F	Tertiary clay overburden
	Bentonite	D Sample ID 2	0.5 -		СН	CLAY - high plasticity, light grey	M	S	Tertiary clay overburden
		D Sample ID 3	1.0 -		СН	CLAY - high plasticity, light grey-green	D	S L	Tertiary clay overburden
		D Sample ID 4	1.5 -		СН	CLAY - high plasticity, light grey	D	S L	Tertiary clay overburden
I.V.	No screen	D Sample ID 5	2.0 -		СН	CLAY - high plasticity, light grey-green	D	S L	Tertiary clay overburden
	7 mm Gravel	D Sample ID	-		СН	CLAY - high plasticity, light grey	D	S L	Tertiary clay overburden
		D Sample II 7	-		СН	CLAY - high plasticity, yellow, siltstone chips	D	S L	Tertiary clay overburden
S Company	r.s. sereen	D Sample ID 8	3.5 -		СН	CLAY - high plasticity, dark brown, 3% siltston and mudstone chips	e M	F	Tertiary clay overburden
1 5 motion N B E C	1.3 mene iv.K.	D Sample ID 9	-		СН	CLAY - high plasticity, yellow-brown	W	VL	Tertiary clay overburden
SIX	SN		4.5			* Nylon Rock Fabric Sock			

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & \text{PL2000/1} \\ \text{Sheet} & 2 & \text{of} & 2 \end{array}$ 

Project		rt Latta		te de <sub>l</sub>		Location			lain, Port Latta
R.L. Inclination Bearing	5	5475014 i	nE mN		Drill type Auger Drill method Rotary Drill fluid Nil		Hole comp Hole comp Drilled by Logged by Checked b	leted	22 August 2000 22 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite
support water	notes samples, tests	R.L. depth	graphic log	classification symbol	<b>materia</b> soil type: plasticity or particl colour, secondary and min		moisture	consistency density index	structure, geology
Bac	D Sample ID 10 D Sample ID 11	-			SILTSTONE - dark grey		W		Bedrock - Precambrian
		_	-=-		End of hole due to auger refu	sal at 6.2 m			Cowrie Siltstone
	Sample ID numbers refer to samples stored in MRT core shed	- - - - - - - - - - - - - - - - - - -							

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & \text{PL2000/2} \\ \text{Sheet} & 1 & \text{of} & 3 \end{array}$ 

rojec			rt Latta		ic dej		Location				lain, Port Latta			
L.L. nclinat	tion		5475631			Drill method R	auger otary Iil	Hole co Hole co Drilled Logged Checke	omple by I by	eted	22August 2000 22 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite			
support	water	notes samples, tests	R.L. depth	graphic log	classification symbol	soil type: plasticity or	erial particle characteristics, and minor components.		moisture condition	consistency density index	structure, geology			
	Cement	D Sample ID 1	- - -		СН	CLAY - high plasticity, r	ed-brown		M	F	Tertiary clay overburden			
	Bentonite	D Sample ID 2	Sample ID		СН	CLAY - high plasticity,	ight red	,	Vst	D	Tertiary clay overburden			
		D Sample ID	Sample ID  D  Sample ID  4  D  Sample ID	- - -		СН	CLAY - high plasticity, i	red-grey		D	S L	Tertiary clay overburden		
				Sample ID  D Sample ID 5	1.5 -		СН	CLAY - high plasticity, l	ight grey		D	S L	Tertiary clay overburden	
No screen					Sample ID 5	Sample ID 5	2.0		СН	CLAY - high plasticity, mottles	light red, 5% clay g	grey	D	S L
No	vel	D Sample ID 6	2.5 — - - 3.0 —		СН	CLAY - high plasticity, mottles	white-red, 10% clay	grey	D	S L	Tertiary clay overburden			
	7mm grav	D Sample ID 7	- - -		СН	CLAY - high plasticity, mottles	red-brown, clay gro	ey	D	S	Tertiary clay overburden			
		D Sample ID 8	Sample ID	D Sample ID 8	D Sample ID 8	ample ID 8 -	ID	3.5 CH	CLAY - high plasticity, mottles up to 2 mm	light red, clay grey		D	S L	Tertiary clay overburden
		D Sample ID 9	4.0		СН	CLAY - high plasticity, r light grey mottles	red- brown, 20% cla	ay	D	S L	Tertiary clay overburden			
		D Sample ID 10	4.5 - -		СН	CLAY - high plasticity,	red, 5% clay grey n	nottles	M	S MD	Tertiary clay overburden			

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & \text{PL2000/2} \\ \text{Sheet} & 2 & \text{of} & 3 \end{array}$ 

roject	Pol	rt Latta	wasi	ic dej	pot Location Brick	IIIak	215 1	lain, Port Latta
b-ordin L. clinatio earing		5475631			Drill type Auger Hole of Drill method Rotary Hole of Drill fluid Nil Drilled Logge Check	omple by d by	eted	22August 2000 22 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite
support	notes samples, tests	metres depth	graphic log	classification symbol	material soil type: plasticity or particle characteristics, colour, secondary and minor components.	moisture condition	consistency density index	structure, geology
	D Sample ID 11	- - -		СН	CLAY - high plasticity, red, clay grey mottles	M	L	Tertiary clay overburden
	D Sample ID 12	5.5		СН	CLAY - high plasticity, red, 20% clay grey mottles	M	L	Tertiary clay overburden
	D Sample ID 13	6.0 — - - -		CL	CLAY - medium plasticity, red, siltstone fragments	M	L	Tertiary clay overburden
	D Sample ID 14	6.5 -		CL	CLAY - medium plasticity, brown, siltstone fragments	M	S	Tertiary clay overburden
	D Sample ID 15	7.0 -						
No screen	D Sample ID	7.5 -		СН	CLAY - high plasticity, red, orange siltstone fragments	M	S	Tertiary clay overburden
	D Sample ID 17	8.0 -						
	D Sample ID 18	8.5 -						
	D Sample ID 19	9.0 -		СН	CLAY - high plasticity, red- yellow, various coloured siltstone fragments	M	S L	Tertiary clay overburden
	D Sample ID	9.5		СН	CLAY - high plasticity, brown	M	S L	Tertiary clay overburden

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & \text{PL2000/2} \\ \text{Sheet} & 3 & \text{of} & 3 \end{array}$ 

roject	Pot	rt Latta	wast	te dei	oot Locati	ion Brick	make	ers P	lain, Port Latta
	ates 55 3	362588 n 3475631	nE		Drill type Auger Drill method Rotary Drill fluid Nil	Hole Hole Drille Logg	comm comple d by	enced eted	
support water	notes samples, tests	R.L. depth	graphic log	classification symbol	material soil type: plasticity or particle charactericolour, secondary and minor compone	istics, ents.	moisture condition	consistency density index	structure, geology
No screen		-		СН	CLAY - high plasticity, red, clay grey	mottles	М	S L	Tertiary clay overburden
- C	D Sample ID 21	10.5		CL	CLAY - medium plasticity, grey-green siltstone fragments	, black	М	S L	Tertiary clay overburden
2 metre N.R.F.S. Screen nm Gravel	D Sample ID 22	11.0 -		CL	CLAY - low plasticity, dark grey, 10% siltstone fragments	6 black	М	F	Tertiary clay overburden
2 metre N. 7mm Gravel	D Sample ID 23	11.5 —		CL	CLAY -low plasticity, green-grey, bla micaceous siltstone fragments	ck	M	F	Clay overburden transitional zone to Cowrie Siltstone bedrock
No screen	D Sample ID 24	12.5 -							
	Sample ID numbers refer to samples stored in MRT core shed	- 13.0			End of hole due to auger refuse at 13.	0 m.			
		- - -			* Nylon Rock Fabric Sock				

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & \text{PL2000/3} \\ \text{Sheet} & 1 & \text{of} & 2 \end{array}$ 

Pro	jec	t	Po	rt Latta	wast	te de <sub>l</sub>	pot Location Br	rickmak	ers P	lain, Port Latta
R.L. Incli Bea	nat	tion	:	362399 n 5475481 cal			Drill type Auger Hole of Drill method Rotary Hole of Drill fluid Nil Drilled Logge Checker			22August 2000 23 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite
2 penetration	support	water	notes samples, tests	metres depth	graphic log	classification symbol	material soil type: plasticity or particle characteristics, colour, secondary and minor components.	moisture condition	consistency density index	structure, geology
		Cement	D Sample ID 1	- - -		СН	CLAY - high plasticity, red- brown	M	St D	Tertiary clay overburden
		Bentonite	D Sample ID 2	-						
			D Sample ID 3	1.0 -		СН	CLAY - high plasticity, light red, clay light grey mottles	М	St D	Tertiary clay overburden
			D Sample ID 4	1.5 -		СН	CLAY - high plasticity, light grey, clay orange mottles	D	S L	Tertiary clay overburden
	No screen	mm Gravel	D Sample ID 5	-		СН	CLAY - high plasticity, white	D	S L	Tertiary clay overburden
	No	L .	D Sample ID 6	-		СН	CLAY - high plasticity, light red, 30% clay whit mottles	ite D	S L	Tertiary clay overburden
			D Sample ID 7	-		СН	CLAY - high plasticity, light red, 5% clay whi mottles	te D	S L	Tertiary clay overburden
			D Sample ID 8	-		СН	CLAY - high plasticity, red, 5% clay light brownottles	wn D	S L	Tertiary clay overburden
			D Sample ID 9	4.0 -		СН	CLAY - high plasticity, light red, 5% clay whit mottles	te D	S L	Tertiary clay overburden
				-						

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & \text{PL2000/3} \\ \text{Sheet} & 2 & \text{of} & 2 \end{array}$ 

	ject			t Latta			•	Location				22 August 2000
.L.		on		475481			Drill type Drill method Drill fluid	Auger Rotary Nil	Hole of Hole of Drilled Logge Check	omple by d by	eted	23 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite
3	support	water	notes samples, tests	metres depth	graphic log	classification symbol		aterial or particle characteristic and minor components	·S, ·	moisture condition	consistency density index	structure, geology
			D Sample ID 11	-		СН	CLAY - high plasticity yellow mottles	, light red, 20% cl	ay 22/08/00	D	S L	Tertiary clay overburden
			D Sample ID 12	-		СН	CLAY - high plasticity,	light brown- red	23/08/00	D	S L	Tertiary clay overburden
	No screen		D Sample ID 13	6.0 — - - -								
			D Sample ID 14 D	6.5 -		СН	CLAY - high plasticity	/ light brown-red	clav	D	S	Tertiary clay
		iravel	Sample ID 15 D Sample ID	7.0		CL	white mottles  CLAY - medium plasti orange rounded fragme	city, light red, silts		D	L L	overburden Clay overburden transitional zone to Cowrie Siltstone
	oles with N.R.F.S	7	D Sample ID 17	7.5 -								bedrock
	m spaced 5mm h		D Sample ID 18	8.0 -		CL	CLAY - medium plast siltstone various colou			D	L	Clay overburden transitional zone to Cowrie siltstone
	2 metre screen - 4 x 150mm spaced 5mm holes with N.R.F.S.		D Sample ID 19	8.5 — - -		CL	CLAY - low plasticity,	black and grey, me	ottled	W	S	Clay overburden transitional zone to Cowrie siltstone bedrock
				9.0 -								
	No screen	Š	D Sample ID 20	9.5			SILTSTONE- dark gre	у				Cowrie siltstone bedrock

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & \text{PL2000/4} \\ \text{Sheet} & 1 & \text{of} & 2 \end{array}$ 

roje			rt Latta		e dej	•	Loca				lain, Port Latta
L. L. nclina earir	atior		5475391			Drill type Drill method Drill fluid	Auger Rotary Nil	Hole of Hole of Drilleo Logge Check	comple d by ed by	eted	23 August 2000 23 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite
troddii.	water	notes samples, tests	metres Gepth	graphic log	classification symbol	soil type: plasticity	<b>naterial</b> y or particle characte ry and minor compo	erístics, nents.	moisture condition	consistency density index	structure, geology
	Cement	D Sample ID 1	-		CL	CLAY - black-brown			M	F	Tertiary clay overburden
	Bentonite	D Sample ID 2	-		СН	CLAY - high plasticit	y, light red		M	F	Tertiary clay overburden
		D Sample ID	1.0		СН	CLAY - high plasticit grey mottles	ty, red-yellow, 4	0% clay	D	L	Tertiary clay overburden
		D Sample ID 4	1.5								
No corean	- 1	D Sample ID 5	2.0		CL	CLAY - medium plas grey mottles, strong s			D	L	Tertiary clay overburden
ON	7 mm	D Sample ID 6	-		CL	CLAY - medium plas and 5% red mottles	sticity, yellow, o	elay 10% grey	D	L	Tertiary clay overburden
		D Sample ID 7	- -		CL	CLAY - medium plas fragments	sticity, light red	siltstone	D	L	Tertiary clay overburden
		D Sample ID 8	3.5								
		D Sample ID 9	4.0 -		СН	CLAY - high plastici mottles and 10% silts	ty, light red, cla stone fragments	y 5% white	D	L	Tertiary clay overburden
Screen	TOTAL	D Sample ID 10	4.5 -		СН	CLAY - high plastici	ty, light red, sil	stone chips	M	F	Tertiary clay overburden

# **ENGINEERING LOG - BOREHOLE**

Borehole no.
PL2000/4
Sheet 2 of 2

Pro	jec	t	Po	rt Latta	wast	te de	pot Location Brick	mak	ers P	lain, Port Latta
R.L Incl	Co-ordinates 55 362309 mE 5475391 mN  R.L. Inclination Vertical Bearing						Drill method Rotary Hole Drill fluid Nil Drille Logg	-	eted	22 August 2000 23 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite
t penetration	support	water	notes samples, tests	metres depth	graphic log	classification symbol	material soil type: plasticity or particle characteristics, colour, secondary and minor components.	moisture condition	consistency density index	structure, geology
	.S. Screen		D Sample ID 11 D	5.5 -		CL	CLAY - medium plasticity, light red, siltstone and	W	F	Clay overburden -
	2 metre N.R.F.S. Screen	7 mm Gravel	Sample ID 12  D Sample ID 13	6.0 -		CL	mudstone mudstone	**	1	transitional zone to Cowrie Siltstone bedrock -
	No screen		D Sample ID	-		CL	CLAY - low plasticity, black	М	F	Weathered Cowrie Siltstone
	%		14	6.5 -	-		SILTSTONE - various colours, mudstone chips			Cowrie Siltstone bedrock
			Sample ID numbers refer to samples stored in MRT core shed				End of hole due to auger refusal at 6.6 m			

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & \text{PL2000/5} \\ \text{Sheet} & 1 & \text{of} & 2 \end{array}$ 

roject	t	Poi	rt Latta	wast	e dep	pot Location Brid	ckmak	ers P	lain, Port Latta
co-ordi	ion		5475787		,	Drill method Rotary Hole  Drill fluid Nil Drill  Log	e comme e comple ed by ged by cked by	eted	23 August 2000 23 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite
support	water	notes samples, tests	metres Gepth	graphic log	classification symbol	material soil type: plasticity or particle characteristics, colour, secondary and minor components.	moisture condition	consistency density index	structure, geology
	Cement	D Sample ID 1	- - -		CL	CLAY - medium plasticity, grey, siltstone fragments - cover material	M	F	Tertiary clay overburden
	Bentonite	D Sample ID 2	0.5		CL	CLAY - medium plasticity, yellow, siltstone fragments - cover material	M	F	Tertiary clay overburden
No screen		D Sample ID 3	1.0 — - - -		CL	CLAY - medium plasticity, black, humic, quartz pebbles	M	S	Tertiary clay overburden
		D Sample ID 4	1.5						
		D Sample ID 5	2.0 -		CL	CLAY - medium plasticity, light grey, mudstone grey fragments	D	S VL	Tertiary clay overburden
S	7 mm Gravel	D Sample ID 6	2.5		CL	CLAY - medium plasticity, dark grey, 5% clay brown mottles	D	S L	Tertiary clay overburden
Screen with 4 x 150mm spaced 5mm holes		D Sample ID 7	-		CL	CLAY - medium plasticity, dark grey, mudstone dark grey fragments	D	S L	Tertiary clay overburden
with 4 x 150mm		D Sample ID 8	3.5 -						
metre N.R.F.S. Screen		D Sample ID 9	4.0 -		CL	CLAY - medium plasticity, dark grey, mudstone dark grey fragments	D	S L	Tertiary clay overburden
3 metre l		D Sample ID 10	4.5						

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & \text{PL2000/5} \\ \text{Sheet} & 2 & \text{of} & 2 \end{array}$ 

Pro	_			rt Latta		te de	pot Locatio	n Brick	mak	ers P	lain, Port Latta
R.L Incl	Co-ordinates 55 363111 mE 5475787 mN  R.L. Inclination Vertical Bearing						Drill type Auger Drill method Rotary Drill fluid Nil	Hole Hole Drille Logge Check	compl d by ed by	eted	22 August 2000 23 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite
c penetration	support	water	notes samples, tests	metres depth	graphic log	classification symbol	material soil type: plasticity or particle characterist colour, secondary and minor component	ics, ts.	moisture condition	consistency density index	structure, geology
		mm Gravel	D Sample ID	-							
	en	_	11,12 & 13	5.5 -		CL	CLAY - medium plasticity, dark grey		M	F	Tertiary clay overburden
	No screen		D Sample ID 14	1			SILTSTONE - dark grey				Cowrie Siltstone bedrock
			ъ	-			End of hole due to auger refusal at 5.75	m.			
			Sample ID numbers refer to samples stored in MRT core shed	_							-
			efer to T cor	-							
			oers r n MR								_
			numb ored is								
			le ID es ste		-						
			Samp sampl	_	]						-
			<b>0</b> 1 <b>0</b> 2	-							
				_	1						-
				-							-
				-							
				-							
				_							-
					1						
					]						
					1						-
				-	1						
				-	1						-
				-	1						

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & \text{PL2000/6} \\ \text{Sheet} & 1 & \text{of} & 2 \end{array}$ 

rojec			t Latta		ic dep				lain, Port Latta
o-ord  .L. clinate	ior		3475520 i			Drill type Auger Hole Drill method Rotary Hole Drill fluid Nil Drille Logg Chec			23August 2000 24 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite
support		notes samples, tests	R.L. depth	graphic log	classification symbol	material soil type: plasticity or particle characteristics, colour, secondary and minor components.	moisture condition	consistency density index	structure, geology
	Cement	D Sample ID 1	- -		СН	CLAY - high plasticity, red-brown, clay various coloured mottles - cover material	M	F	Tertiary clay overburden
	Bentonite	D Sample ID 2	0.5 —						
		D Sample ID 3	1.0 —		СН	CLAY - high plasticity, brown, clay various coloured mottles	M	F	Tertiary clay overburden
		D Sample ID 4	1.5 -						
en		D Sample ID 5	2.0						
No screen	7 mm Gravel	D Sample ID 6	2.5 -		СН	CLAY - high plasticity, light red, 30% clay light grey mottles	D	S L	Tertiary clay overburden
		D Sample ID 7	3.0 -		СН	CLAY - high plasticity, light red, 20% clay white mottles	D	S L	Tertiary clay overburden
		D Sample ID 8	3.5		СН	CLAY - high plasticity, light red	D	S L	Tertiary clay overburden
		D Sample ID 9	4.0		СН	CLAY - high plasticity, light red, siltstone light red fragments	D	S L	Tertiary clay overburden
		D Sample ID 10	4.5		СН	CLAY - high plasticity, yellow, 5% clay brown mottles and siltstone fragments	D	S L	Tertiary clay overburden

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & \text{PL2000/6} \\ \text{Sheet} & 2 & \text{of} & 2 \end{array}$ 

Co-ordinates 55 362481 mE 5475520 mN Drill type Auger Hole commenced 23 August 2000 R.L. Drill fluid Nil Drilled by Logged by Checked by Mr Andrew Ezzy Mr Adrian Waite    Sumple ID   13   14   15   15   15   15   15   15   15	Pro	iec	t	Poi	rt Latta	wast	e de	not	Location Brid	kmak	erc P	lain Port I atta	
CL CLAY - medium plasticity, light brown, siltstone various coloured fragments   D Sample ID 12   D Sample ID 14   CH CLAY - high plasticity, yellow and brown, siltstone bedrock   D Sample ID 15   CH CLAY - high plasticity, yellow, siltstone fragments   D Sample ID 15   CH CLAY - high plasticity, yellow, siltstone fragments   D S Clay overburden transitional zone to Cowrie Siltstone bedrock   COwrie Siltstone bedrock   Cowrie Siltstone bedrock   Cowrie Siltstone bedrock   CH CLAY - high plasticity, yellow, siltstone fragments   D S Clay overburden transitional zone to Cowrie Siltstone bedrock   CH CLAY - high plasticity, yellow, siltstone fragments   D S Clay overburden transitional zone to Cowrie Siltstone bedrock   CH CLAY - high plasticity, brown-grey, 5% clay various coloured mottles and siltstone chips   D S Clay overburden transitional zone to Cowrie Siltstone bedrock   CH CLAY - high plasticity, brown-grey, 5% clay various coloured mottles and siltstone chips   D S Clay overburden transitional zone to Cowrie Siltstone bedrock   CH CLAY - high plasticity, brown-grey, 5% clay various coloured mottles and siltstone chips   D S Clay overburden transitional zone to Cowrie Siltstone bedrock   CH CLAY - high plasticity, brown-grey, 5% clay various coloured mottles and siltstone chips   D S Clay overburden transitional zone to Cowrie Siltstone bedrock   CH CLAY - high plasticity, brown-grey, 5% clay various coloured mottles and siltstone chips   D S Clay overburden transitional zone to Cowrie Siltstone bedrock   CH CLAY - high plasticity, brown-grey, 5% clay various coloured mottles and siltstone chips   D S Clay overburden transitional zone to Cowrie Siltstone bedrock   CH CLAY - high plasticity, brown-grey, 5% clay various coloured mottles and siltstone chips   D S Clay overburden transitional zone to Cowrie Siltstone   CH CLAY - high plasticity, brown-grey, 5% clay various coloured mottles and siltstone chips   CH CLAY - high plasticity, brown-grey, 5% clay various coloured mottles and siltstone chips   CH	Co-d R.L. Incli	Co-ordinates 55 362481 mE 5475520 mN  R.L. Inclination Vertical						Drill type Auger Drill method Rotary	Hole Hole Drill Log:	e comme comple ed by ged by	enced eted	23 August 2000 24 August 2000 Mr Shane Heawood Mr Andrew Ezzy	
Sample ID 11  D Sample ID 11  D Sample ID 11  D Sample ID 12  D Sample ID 13  CH CLAY - high plasticity, yellow and brown, siltstone bedrock  Cowrie Siltstone bedrock  Clay overburden transitional zone to Cowrie Siltstone bedrock  Cowrie Siltstone bedrock  Clay overburden transitional zone to Cowrie Siltstone bedrock  CH CLAY - high plasticity, yellow, siltstone fragments  CH CLAY - high plasticity, yellow, siltstone fragments  D Sample ID 15  CH CLAY - high plasticity, yellow, siltstone fragments  CH CLAY - high plasticity, brown-grey, 5% clay various coloured mottles and siltstone chips  CH CLAY - high plasticity, brown-grey, 5% clay various coloured mottles and siltstone chips  CH CLAY - high plasticity, brown-grey, 5% clay various coloured mottles and siltstone chips		support	water	samples,		graphic log	classification symbol	soil type: plasticity or particle of	haracteristics, components.	moisture condition	consistency density index	structure, geology	
CH CLAY - high plasticity, yellow and brown, siltstone bedrock  The completion of transitional zone to convice Siltstone bedrock  The completion of transitional zone to convice Siltstone bedrock  The completion of transitional zone to convice Siltstone bedrock  The completion of transitional zone to convice Siltstone bedrock  The completion of transitional zone to convice Siltstone bedrock  The completion of transitional zone to convice Siltstone bedrock  The completion of transitional zone to convice Siltstone bedrock  The completion of transitional zone to convice Siltstone bedrock  The completion of transitional zone to convice Siltstone bedrock  The completion of the convice Siltstone bedrock bedr		No screen		Sample ID 11  D Sample ID 12  D Sample ID	5.5 -		CL		t brown, siltstone	D		transitional zone to Cowrie Siltstone	
Sample ID 15  CH CLAY - high plasticity, yellow, siltstone fragments D S Clay overburden transitional zone to Cowrie Siltstone bedrock  CH CLAY - high plasticity, brown-grey, 5% clay various coloured mottles and siltstone chips  D S Clay overburden transitional zone to Causing Siltstone to Course Siltston			4 6	Sample ID 14	- - -		СН		and brown, siltstor	ne D		transitional zone to Cowrie Siltstone	- - -
		s		Sample ID 15	- - -		СН	CLAY - high plasticity, yellow,	siltstone fragment	ts D		transitional zone to Cowrie Siltstone	-
with 4 x 150   17   17   17   17   17   17   17   1		3 metre N.R.F.S. Screen with 4 x 150mm spaced 5 mm hole	7 r	Sample ID 16  D Sample ID 17	8.0 -		СН			D		transitional zone to Cowrie Siltstone	
Sample ID 18 Sampl		N.R.F.S. Screen	6	18	- - -		CL		t brown-grey,	D		transitional zone to Cowrie Siltstone	- - -
D Sample ID 20		3 metre		Sample ID 19 D Sample ID	- - -			siltstone fragments		D	L	transitional zone to Cowrie Siltstone	- - -
CL CLAY - medium plasticity, yellow-brown, D S siltstone and quartz fragments L		S/		D	-			siltstone and quartz fragments			L		
E Sample ID CL CLAY - low plasticity, dark grey, black siltstone D S/L		Ż			-		CL	CLAY - low plasticity, dark grey	, black siltstone	D	S/L		

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & \text{PL2000/7} \\ \text{Sheet} & 1 & \text{of} & 1 \end{array}$ 

Poi	rt Latta	wast	te de <sub>l</sub>	pot	Location	Brickmal	kers P	lain, Port Latta
5	5475498			Drill method R	otary	Hole comp Drilled by Logged by	oleted	24 August 2000 24 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite
notes samples, tests	Wetres depth	graphic log	classification symbol			moisture	consistency density index	structure, geology
D Sample ID 1	- - -		СН	CLAY - high plasticity, l fragments	ight red, siltstone	М	F	Cover material - made
D Sample ID 2	- - -		СН	CLAY - high plasticity, li various coloured mottles	ight red, 10% clay	M	F	Cover material - mad
D Sample ID 3	1.0 -							
Sample ID 3  D Sample ID 4  D Sample ID 5	1.5 -							
	2.0 -		СН	CLAY - high plasticity, v	vhite	M	F	Cover material - mad
D Sample ID	2.5 -			WASTE fill - medical wa	ste, clay green			Medical waste
Sample ID numbers refer to samples stored in MRT core shed	3.0			End of hole at 3.0 m				
	n Vertice  notes samples, tests  D Sample ID 1  D Sample ID 3  D Sample ID 4  Sample ID 5  D Sample ID 6	notes samples, tests b B Sample ID 1 1 0.5 - D Sample ID 2 1.0 - D Sample ID 3 1.5 - Sample ID 5 2.0 - Sample ID 5 3 3.0 - 3.0	notes   Sample ID   D   Sample ID   A   D   Sa	notes samples, tests described by the sample ID and the sample ID	notes samples, tests i i i i i i i i i i i i i i i i i i	The state of the s	Drill type Auger Hole composition of the Start S	Drill type Auger Hole commenced Notary Hole completed Drilled by Logged by Checked by    Notes Samples, Lestis Sample ID   1

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & \text{PL2000/8} & \\ \text{Sheet} & 1 & \text{of} & 1 \end{array}$ 

oje	ct	Po	rt Latta	wast	te de	pot Location Bric	kmak	ers P	lain, Port Latta
 :lina	ination Vertical aring					Drill method Rotary Hole  Drill fluid Nil Drille  Loge	comm compled by ged by cked by	eted	24 August 2000 24 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite
support	water	notes samples, tests	R.L. depth	graphic log	classification symbol	material soil type: plasticity or particle characteristics, colour, secondary and minor components.	moisture condition	consistency density index	structure, geology
	0	D Sample ID 1 D Sample ID	0.5		СН	CLAY - high plasticity, light red, siltstone fragments	M	F	Tertiary clay overburden
Sorreen	Bentonite	2 D Sample ID	1.0 -		СН	CLAY - high plasticity, light red, 10% clay	M	F	Tertiary clay
os o'N	ONT	D Sample ID 4	1.5		СН	various coloured mottles  CLAY - high plasticity, mottled light red and grey, black siltstone fragments	M	F	Clay overburden transitional zone to Cowrie Siltstone
holes		D Sample ID 5	2.0		CL	CLAY - low plasticity, black, 10% black siltstone and 5% quartz fragments	M	F	Clay overburden transitional zone to Cowrie Siltstone bedrock
4x150mm spaced 5mm holes		Sample ID 6	3.0 -		CL	CLAY - medium plasticity, dark grey, 10% siltston dark grey fragments	e D	S L	Clay overburden transitional zone to Cowrie Siltstone bedrock
1.5 m N.R.F.S.* Screen 4x		Sample ID 7  D Sample ID 8	- - -		CL	CLAY - low plasticity, black, 10% siltstone	M	S	Clay overburden
No screen 1.5 m		D Sample ID 9 & 10	4.0 -		CL	CLAY - medium plasticity, mottled grey and yellow	w M	L F	transitional zone to Cowrie Siltstone bedrock
Sa		ole ID nu oles stored	mbers ret		shed	SILTSTONE - Various colours  End of hole due to auger refusal at 4.3 m.			Cowrie Siltstone
			-			* Nylon Rock Fabric Sock			

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & \text{PL2000/9} \\ \text{Sheet} & 1 & \text{of} & 3 \end{array}$ 

	ect		rt Latta			•	Location				lain, Port Latta
R.L.	natio	_	5475640			Drill type Drill method Drill fluid	Auger Rotary Nil	Hole of Hole of Drilleo Check	comple d by ed by	eted	22 August 2000 22 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite
ν penetration ω	support	notes samples, tests	metres Gepth	graphic log	classification symbol	soil type: plastici	material ty or particle characteristi ary and minor component	CS, S.	moisture condition	consistency density index	structure, geology
	Cement		-		СН	CLAY - high plastic fragments	ity, light red, 10% s	iltstone	М	F D	Tertiary clay overburden
	Rentonite	D Sample ID 2	0.5		СН	CLAY - high plastici mottles	ty, light red, 10% cl	lay white	M	F	Tertiary clay overburden
		D Sample ID 3	1.0		СН	CLAY - high plastici	ty, light red and gre	у	М	F	Tertiary clay overburden
		D Sample ID 4	- -		СН	CLAY - high plastici	ty, light grey		D	F	Tertiary clay overburden
	en avel	D Sample ID 5	-		СН	CLAY - high plastici mottles various color		clay	D	S	Tertiary clay overburden
	No screen 7 mm Gravel	D Sample ID 6	-		СН	CLAY - high plastici mottles various color		lay	D	S	Tertiary clay overburden
		D Sample ID 7	3.0 -		СН	CLAY - high plastici mottles white	ity, light red-brown,	10% clay	D	S	Tertiary clay overburden
		D Sample ID 8	- - - -		СН	CLAY - high plastici mottles white	ty, light red, 10% cl	lay	D	S	Tertiary clay overburden
		D Sample ID 9	4.0 -		СН	CLAY -high plasticit various colours	y, red-brown, 5% c	lay mottles	D	F	Tertiary clay overburden
		D Sample ID 10	4.5 -		СН	CLAY - high plastic various coloured fra		tstone	D	S	Tertiary clay overburden

# **ENGINEERING LOG - BOREHOLE**

 $\begin{array}{ccc} \text{Borehole no.} & & \\ & & \text{PL2000/9} \\ \text{Sheet} & 2 & \text{of} & 3 \end{array}$ 

Pro	jec	t	Po	rt Latta	wast	te de <sub>l</sub>	pot Location Brick	mak	ers P	lain, Port Latta
Co- R.L. Incli Bea	inat	ion	:	362536 n 5475640 al			Drill type Auger Hole Drill method Rotary Hole Drill fluid Nil Drille Logge Check	d by ed by	eted	24August 2000 24 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite
ν penetration ω	support	water	notes samples, tests	metres depth	graphic log	classification symbol	material soil type: plasticity or particle characteristics, colour, secondary and minor components.	moisture condition	consistency density index	structure, geology
			D Sample ID 11	-						
			D Sample ID 12	5.5 -		СН	CLAY - high plasticity, light brown and red, 5% clay mottles various colours	D	S	Tertiary clay overburden
			D Sample ID 13	6.0 -						
			D Sample ID 14	-		СН	CLAY - high plasticity, light brown, siltstone various coloured fragments	D	S	Tertiary clay overburden
	No Screen	Gravel	D Sample ID 15	-		СН	CLAY - high plasticity, light brown, 10% clay mottles yellow	D	S	Tertiary clay overburden
		7 mm	D Sample ID 16	7.5 -		СН	CLAY - high plasticity, light red	D	S	Tertiary clay overburden
	mm holes		D Sample ID 17	-		СН	CLAY - high plasticity, green-grey, green-yellow and brown	D	S	Tertiary clay overburden
	No screen 1.5 m N.R.F.S.*Screen 4x150mm spaced 5mm holes		D Sample ID 18	-		СН	CLAY - high plasticity, yellow and green-grey, 5% siltstone grey fragments	М	S	Clay overburden transitional zone to Cowrie Siltstone bedrock
	I.R.F.S.*Screen 4x		D Sample ID 19	-		CL	CLAY - medium plasticity, grey and green-brown, siltstone yellow and grey inter banded (1mm) fragments	D	S	Clay overburden transitional zone to Cowrie Siltstone bedrock
	lo screen 1.5 m N		D Sample ID 20	9.5 -		CL	CLAY - low plasticity, mottled various colours, siltstone chips  * Nylon Rock Fabric Sock	M	F	Clay overburden transitional zone to Cowrie Siltstone bedrock

# **ENGINEERING LOG - BOREHOLE**

Borehole no.  $\begin{array}{ccc} \text{PL2000/9} \\ \text{Sheet} & 3 & \text{of} & 3 \end{array}$ 

Project	Po	rt Latta	wast	te de <sub>l</sub>	pot Locatio	n Brid	kmak	ers P	lain, Port Latta	
R.L. Inclination Bearing		5475640			Drill type Auger Drill method Rotary Drill fluid Nil	Hole Drill Log	e comme e compled by ged by cked by	eted	24 August 2000 24 August 2000 Mr Shane Heawood Mr Andrew Ezzy Mr Adrian Waite	
s penetration support water	notes samples, tests	metres depth	graphic log	classification symbol	material soil type: plasticity or particle characterist colour, secondary and minor component	tics, ts.	moisture condition	consistency density index	structure, geology	
	D Sample ID 21	10.2								_
	Sample ID numbers refer to samples stored in MRT core shed	- 10.2 4			End of hole due to auger refuse at 10.2 to	m			Auger refusal most likely on Cowrie Siltstone bedrock	

#### **Appendix 2**

#### **Analytical Services Tasmania — laboratory reports**



### ANALYTICAL SERVICES TASMANIA

Sandy Bay Laboratory

c|- Chemistry Department University of Tasmania

Sandy Bay Tasmania 7005

Telephone: (03) 6226 7175 Fax: (03) 6226 7825 Email: ast.sandybay@dpiwe.tas.gov.au



NATA Accreditation Number: 5589

#### Laboratory Report

Report No:

13772

Please quote this number when making enquiries about this report

Submitted By:

Andrew Ezzy

Client:

Mineral Resources Tasmania

Site Description:

Port Latta Waste Depot

Received:

03-Nov-00

Client Order No:

Report Date:

01-Dec-00

Report To:

Andrew Ezzy

Address:

Gordons Hill Rd Rosny TAS 7018

#### Test Method(s):

1001-Water:

pH in Water by APHA Method 4500-H

1002-Water:

Conductivity by APHA Method 2510

1004-Water: 1101-Water:

Solids, Total Dissolved by APHA Method 2540C Alkalinity by APHA Method 2320/4500-CO2

1103-Water:

Anions by Ion Chromatography APHA Method 4110C

1201-Water:

Nutrients by APHA Method 4500

1301-Water:

Metals in Water by APHA Method 3030/3120

NA TA

NATA endorsed test report.

This document shall not be reproduced, except in full.

Samples analysed as received.

NATA Accreditation Number: 5589

Mike Johnson Manager

Page 1 of 3



#### ANALYTICAL SERVICES TASMANIA Sandy Bay Laboratory

NATA Accreditation Number: 5589

c|- Chemistry Department University of Tasmania Sandy Bay Tasmania 7005

Report No: 13772

Report Date: 01-Dec-00

		Lab.No.:	13081	13082	13083	13084
		Sample Id.:	PL 2000/1	PL 2000/2	PL 2000/3	PL 2000/4
Method	Analyte	Units / Sampled On:	31/10/00 14:50	31/10/00 12:50	31/10/00 14:35	31/10/00 15:20
1001-Water	рН		7.2	6.6	5.9	6.0
1002-Water	Conductivity	μS/cm	645	393	216	180
1004-Water	TDS	mg/L	390	243	142	110
1101-Water	Alkalinity CO3	mg/L CaCO3	<1	<1	<1	<1
	Alkalinity HCO3	mg/L CaCO3	167	43	23	31
1103-Water	Chloride	mg/L	65	76	25	21
	Fluoride	mg/L	0.41	0.09	0.06	< 0.02
	Sulphate	mg/L	3.7	11	3.1	9.1
1201-Water	Ammonia	μg-N/L	<2	8	<2	<2
	Nitrate+Nitrite	μg-N/L	5	5	5	5
	Nitrite	μg-N/L	<2	<2	<2	<2
	Ortho-P	μg-P/L	11	3	<2	<2
1301-Water	Al (Dissolved)	μg/L	12	25	11	<10
	As (Dissolved)	μg/L	6	<5	<5	<5
	Cd (Dissolved)	μg/L	<1	<1	<1	<1
	Co (Dissolved)	μg/L	1	2	18	7
	Cr (Dissolved)	μg/L	<1	<1	<1	<1
	Cu (Dissolved)	μg/L	<1	4	<1	<1
	Fe (Dissolved)	μg/L	4460	29	<20	94
	Mn (Dissolved)	μg/L	1980	281	693	693
	Ni (Dissolved)	μg/L	<1	5	<1	1
	Pb (Dissolved)	μg/L	<5	<5	<5	<5
	Zn (Dissolved)	μg/L	16	18	3	4



#### ANALYTICAL SERVICES TASMANIA Sandy Bay Laboratory

NATA Accreditation Number: 5589

c|- Chemistry Department University of Tasmania Sandy Bay Tasmania 7005

Report No: 13772


Report Date: 01-Dec-00

		Lab.No.:	13085	13086	13087	13088
		Sample Id.:	PL 2000/5	PL 2000/6	PL 2000/8	PL 2000/9
N. 6 41 1	A a landa					
Method	Analyte	Units / Sampled On:	31/10/00 11:10	31/10/00 14:20	31/10/00 11:50	31/10/00 13:45
1001-Water	рН		6.3	5.2	5.6	6.1
1002-Water	Conductivity	μS/cm	675	285	277	471
1004-Water	TDS	mg/L	406	161	161	280
1101-Water	Alkalinity CO3	mg/L CaCO3	<1	<1	<1	<1
	Alkalinity HCO3	mg/L CaCO3	154	5	24	57
1103-Water	Chloride	mg/L	110	63	51	90
	Fluoride	mg/L	0.11	< 0.02	0.04	0.04
	Sulphate	mg/L	12	14	7.2	23
1201-Water	Ammonia	μg-N/L	400	3	<2	<2
	Nitrate+Nitrite	μg-N/L	5	5	4	7
	Nitrite	μg-N/L	<2	<2	<2	3
	Ortho-P	μg-P/L	3	2	3	5
1301-Water	Al (Dissolved)	μg/L	1370	36	31	752
	As (Dissolved)	μg/L	7	<5	<5	<5
	Cd (Dissolved)	μg/L	<1	<1	<1	<1
	Co (Dissolved)	μg/L	14	<1	<1	2
	Cr (Dissolved)	μg/L	4	<1	<1	<1
	Cu (Dissolved)	μg/L	41	<1	6	<1
	Fe (Dissolved)	μg/L	1230	20	<20	1590
	Mn (Dissolved)	μg/L	288	14	107	133
	Ni (Dissolved)	μg/L	33	2	2	3
	Pb (Dissolved)	μg/L	9	14	<5	<5
	Zn (Dissolved)	μg/L	319	5	10	6

#### Appendix 3 Analytical results on site maps

Port Latta Waste Depot October 2000 Alkalinity CO<sub>3</sub> (mg/L CaCO<sub>3</sub>)


# Port Latta Waste Depot October 2000 Alkalinity HCO<sub>3</sub> (mg/L CaCO<sub>3</sub>)



 Hole PL2000/7 contains no installation and was backfilled with bentonite.

\* Hole PL2000/7 contains no installation and was backfilled with bentonite.

## Port Latta Waste Depot October 2000 Conductivity (μS/cm)




 Hole PL2000/7 contains no installation and was backfilled with bentonite.

\* Hole PL2000/7 contains no installation and was backfilled with bentonite.

Port Latta Waste Depot October 2000 pH

#### Port Latta Waste Depot October 2000 AI (μg/L)




 Hole PL2000/7 contains no installation and was backfilled with bentonite.

\* Hole PL2000/7 contains no installation and was backfilled with bentonite.


Port Latta Waste Depot October 2000 Ammonia (μg-N/L)

#### Port Latta Waste Depot October 2000 As (μg/L)



\* Hole PL2000/7 contains no installation and was backfilled with bentonite.


\* Hole PL2000/7 contains no installation and was backfilled with bentonite.



\* Hole PL2000/7 contains no installation and was backfilled with bentonite.

\* Hole PL2000/7 contains no installation and was backfilled with bentonite.

#### Port Latta Waste Depot October 2000 Cr (μg/L)




 Hole PL2000/7 contains no installation and was backfilled with bentonite.

\* Hole PL2000/7 contains no installation and was backfilled with bentonite.

Port Latta Waste Depot October 2000 Cu (μg/L)

#### Port Latta Waste Depot October 2000 Fe (μg/L)




 \* Hole PL2000/7 contains no installation and was backfilled with bentonite.

\* Hole PL2000/7 contains no installation and was backfilled with bentonite.

Port Latta Waste Depot October 2000 Fluoride (mg/L)

# Port Latta Waste Depot October 2000 Mn (μg/L)




 Hole PL2000/7 contains no installation and was backfilled with bentonite.

 \* Hole PL2000/7 contains no installation and was backfilled with bentonite.

Port Latta Waste Depot October 2000 Ni (μg/L)

#### Port Latta Waste Depot October 2000 Nitrite (µg/N-L)



\* Hole PL2000/7 contains no installation and was backfilled with bentonite.


\* Hole PL2000/7 contains no installation and was backfilled with bentonite.

8

PL2000/1 11

October 2000

#### PL2000/5 3 LEACHATE PONDS OLD MEDICAL WASTE TRENCHES Port Latta Waste Depot STORMWATER PONDS Ortho-P (µg-P/L) October 2000 PL2000/8 PL2000/7 \* LANDFILL FOOTPRINT ACTIVE MEDICAL WASTE TRENCHES PL2000/3 <2 PL2000/4 <2 PL2000/2 3 PL2000/9 5 PCB CEMENT TANKS -1 PL2000/6 2 PL2000/5 5 LEACHATE PONDS OLD MEDICAL WASTE TRENCHES Nitrate + Nitrite (µg-N/L) Port Latta Waste Depot STORMWATER PONDS PL2000/8 4 PL2000/7 \* LANDFILL FOOTPRINT




\* Hole PL2000/7 contains no installation and was backfilled with bentonite.

\* Hole PL2000/7 contains no installation and was backfilled with bentonite.


Port Latta Waste Depot October 2000 Pb (μg/L)

### Port Latta Waste Depot October 2000 Sulphate (mg/L)



 Hole PL2000/7 contains no installation and was backfilled with bentonite.

\* Hole PL2000/7 contains no installation and was backfilled with bentonite.



\* Hole PL2000/7 contains no installation and was backfilled with bentonite.